

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Trade name CAS No.

Cumenesulfonic acid (mixed isomers) Naxcat[®] CSA-95 37953-05-2

Relevant identified uses of the substance or mixture and uses advised against Identified use(s)

Uses advised against

Details of the supplier of the safety data sheet **Company Identification**

Telephone Telephone (Product Information) Fax E-Mail (competent person)

Emergency telephone number Emergency Phone No.

Catalyst; Chemical Intermediate; Processing Aid; Descaling Agent; Plating Aid; Other

None

Nease Co. LLC 10740 Paddys Run Road Harrison, OH 45030

(513) 738-1255 (888) 762-7373 (513) 587-2828 techservice@neaseco.com

(513) 738-1255 CHEMTREC 24 hr. (800) 424-9300

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture OSHA HCS (29 CFR 1910.1200)

Skin Corr. 1C; Eye Dam. 1; Met. Corr. 1

Label elements Hazard Symbol



Signal word(s)	DANGER
Hazard statement(s)	Causes severe skin burns and eye damage. May be corrosive to metals.
Precautionary statement(s)	Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.
	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation (redness, rash, blistering) develops, get medical attention.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Other hazards	Not classified as PBT or vPvB.
Additional Information	None





SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredient(s)	%W/W	CAS No.	Hazard statement(s)
Cumenesulfonic acid	>94%	37953-05-2	May be corrosive to metals. Causes severe skin burns and eye damage.
Sulfuric acid	<2%	7664-93-9	Causes severe skin burns and eye damage.
Water	<2%	7732-18-5	Not applicable

Additional Information - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.

- Cumene (CAS No. 98-82-8) <2%

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is laboured, administer oxygen. If symptoms occur obtain medical attention.		
Skin Contact	Wash affected skin with plenty of water. Remove contaminated clothing immediately. If irritation (redness, rash, blistering) develops, get medical attention.		
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.		
Ingestion	If ingested, rinse mouth. Do not induce vomiting. Seek medical treatment.		
Most important symptoms and effects, both acute and delayed	Causes severe skin burns and eye damage.		
Indication of any immediate medical attention and special treatment needed	None		

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media	
-Suitable Extinguishing Media -Unsuitable Extinguishing Media	Extinguish with waterspray, dry chemical, sand or carbon dioxide. None anticipated.
Special hazards arising from the substance or mixture	None anticipated.
Advice for fire-fighters	Fire fighters should wear complete protective clothing including self- contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Put on protective equipment before entering danger area.
Environmental precautions	Do not allow to enter drains, sewers or watercourses.
Methods and material for containment and cleaning up	Contain spillages with sand, earth or any suitable adsorbent material. Transfer to a container for disposal or recovery. Wash the spillage area with water. If possible prevent water running into sewers.
Reference to other sections Additional Information	None None



SECTION 7: HANDLING AND STORAGE

Precautions for safe handling	Do not get in eyes, on skin, or on clothing.	
Conditions for safe storage, including any incompatibilities		
-Storage Temperature	Store at room temperature.	
-Incompatible materials	Attacks many materials and clothing. Keep away from oxidising agents. Keep container tightly closed and dry.	
Specific end use(s)	Catalyst; Chemical Intermediate; Processing Aid; Descaling Agent; Plating Aid; Other	

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits

		LTEL		STEL		
SUBSTANCE.	CAS No.	PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	Note:
Sulfuric acid	7664-93-9	1 mg/m³	0.2 mg/m ^{3 (T)}			^(T) Thoracic fraction
Cumene	98-82-8	50 ppm ^	50 ppm			^ Skin

Recommended monitoring method Exposure controls

NIOSH 5043; NIOSH 1501

protection to eyes. Full face shield.

Local exhaust required.

Appropriate engineering controls

Personal protection equipment

Eye/face protection



Skin protection (Hand protection/ Other)



Respiratory protection



Use gloves with insulation for thermal protection, when needed.

No personal respiratory protective equipment normally required.

The following to be used as necessary: Goggles giving complete

The following to be used as necessary:Gloves (Neoprene or Natural rubber). Chemical protection suit. Wear safety or chemical resistant shoes or boots. Check with protective equipment manufacturer's data.

Thermal hazards

Environmental Exposure Controls

Do not allow to enter drains, sewers or watercourses.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold (ppm) pH (Value) Melting Point (°C) / Freezing Point (°C) Boiling point/boiling range (°C): Flash Point (°C) Liquid Amber Slight hydrocarbon Odour Not available. <1 Not available Not available. >93 (>200 °F) [Open cup]





Evaporation rate Flammability (solid, gas) Explosive limit ranges Vapour Pressure (Pascal) Vapour Density (Air=1) Density (g/ml) Solubility (Water) Solubility (Water) Partition Coefficient (n-Octanol/water) Auto Ignition Temperature (°C) Decomposition Temperature (°C) Kinematic Viscosity (cSt) @ 40°C Explosive properties Oxidising properties

Other information

<1 (butyl acetate =1) Not applicable. UEL= 6.5% LEL= 0.9% (cumene) Low >1 Not available. Soluble (exothermic). Not available. Not explosive. Not oxidising.

Not applicable.

SECTION 10: STABILITY AND REACTIVIT	۲Y
Reactivity	Stable under normal conditions.
Chemical stability	Stable.
Possibility of hazardous reactions	None anticipated.
Conditions to avoid	Incompatible materials.
Incompatible materials	Reacts with strong alkalis. Avoid contact with bleach or other hypochlorites. May cause exothermic polymerization of furan resins. Generates heat of solution when dissolved in water and alcohols.
Hazardous Decomposition Product(s)	Carbon monoxide, Carbon dioxide, Sulphur oxides, Acrid smoke

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Substances in preparations / mixtures

Cumenesulfonic acid (CAS No. 37953-05-2) (By analogy with similar materials)

Acute toxicity	Oral: LD50 <u>></u> 1104 mg/kg-bw (rat) Dermal: LD50 >2 g/kg-bw (rabbit) Inhalation: LC50 > 100 mg= saturated (Vapor), 8 hour (rat)
Irritation/Corrosivity Sensitization <u>)</u> Repeated dose toxicity	Corrosive (Skin and Eyes) It is not a skin sensitizer. NOAEL: > 500 mg/kg bw/day (28 days/week, oral, rat)
Carcinogenicity	NOAEL (rat): ≥ 240 mg/kg (Fischer 344)

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity Toxicity for reproduction

Sulfuric acid (CAS No. 7664-93-9)

Acute toxicity

Irritation/Corrosivity Sensitization Repeated dose toxicity There is no evidence of mutagenic potential. No evidence of Reproductive toxicity.

Oral: LD50= 2140 mg/kg-bw (rat) Dermal: Not available. Inhalation: LC50 = 0.37-0.42 mg/l (rat)

Corrosive (Skin and Eyes) Skin sensitisation has been reported in humans.

Not available.



Carcinogenicity		NOAEL (rat): ≥ 240 mg/kg (Fischer 344)			
NTP	IARC	ACGIH	OSHA	NIOSH	
Listed	Group 1	Group 2A	No.	No.	
Mutagenicity		There is no e	vidence of mutagenic po	otential.	
Toxicity for reprodu	uction		ng/m³ (rabbit) (New Zea	,	
		NOEL: 20 mg	g/m³ (rabbit) (New Zealar	nd White)	
ECTION 12: ECO	DLOGICAL INFORMA	TION			
umenesulfonic acid (C	CAS No. 37953-05-2) (By ar	nalogy with similar materials	<u>)</u>		
Short term			our): >325 mg/L (<i>Leucisc</i>	,	
			our): >103 mg/l (<i>Daphnia</i> our): 70 mg/l (<i>Pseudokir</i>	•	
Long Term		,	EC50 (96 hour): 70 mg/l (<i>Pseudokirchnerella subcapitata</i>) Not available.		
Persistence and degra	adability		According to OECD criteria the product is not readily		
		biodegradable			
		but inherent	ly biodegradable.		
Bioaccumulative potential		•	The product has low potential for bioaccumulation.		
Mobility in soil			Not available.		
Results of PBT and vPvB assessment		Not classifie	ed as PBT or vPvB.		
ulfuric acid (CAS No.	<u>7664-93-9)</u>				
Short term		LC50 (96 ho	our): 42.0 mg/l (96 hour)	(Gambusia affinis)	
			hour): 29.0 mg/l (<i>Daphni</i>	u ,	
		EC50 (48 h	our): 29 mg/l (<i>Pandalus i</i>	montagui))	
Long Term		Scientifically	Scientifically unjustified		
Persistence and degradability Bioaccumulative potential Mobility in soil		Not readily	biodegradable.		
			The substance has no potential for bioaccumulation. The substance has high mobility in soil.		
Results of PBT and vPvB assessment			Not classified as PBT or vPvB. None known.		
Other adverse effects		INONÉ KNOWI	1.		

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods	Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.
Additional Information	None known.

SECTION 14: TRANSPORT INFORMATION

	Land transport (U.S. DOT)	Sea transport <u>(IMDG)</u>	Air transport <u>(ICAO/IATA)</u>
UN number	2586	2586	2586
Proper Shipping Name	ARYLSULFONIC ACIDS, LIQUID with not more than 5% free sulfuric acid	ARYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulphuric acid	ARYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulphuric acid
Transport hazard class(es)	8	8	8
Packing group	III	III	III
Hazard label(s)	Corrosive	Corrosive	Corrosive
Environmental hazards	No	No	No
Special precautions for user	None known.	None known.	None known.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not established.



SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt. Canada Domestic Substance List (NDSL) - Listed

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

CAS No.	Typical %wt.	RQ (Pounds)

SARA 311/312 - Hazard Categories:

				Typical %wt.		
SARA 313 - Toxic Chemicals (40 CFR 372):						
	Fire	Sudden Release	Reactivit	ty 🛛 Immediate (acute)	Chronic (delayed)	

Cumene 98-82-8

SARA 302 - Extremely Hazardous Substances(40 CFR 355):


Chemical Name	CAS No.	Typical %wt.		
Sulfuric acid	7664-93-9	< 2%		

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 3, 15.

Date of preparation: May 7, 2015

Additional Information:



< 2%

System)

Association) Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Nease Co. LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is

excluded except to the extent that exclusion is prevented by law. Nease Co. LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.