

# SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

#### **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier** 

Chemical Name Coco diethanolamide
Trade name NAXAMIDE® CD-140

CAS No. 68603-42-9

Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) surfactant Uses advised against None

Details of the supplier of the safety data sheet

Company Identification Nease Co. LLC

10740 Paddys Run Road Harrison, OH 45030

 Telephone
 (513) 738-1255

 Telephone (Product Information)
 (888) 762-7373

 Fax
 (513) 587-2828

E-Mail (competent person) techservice@neaseco.com

**Emergency telephone number** 

Emergency Phone No. (513) 738-1255

CHEMTREC 24 hr. (800) 424-9300

### **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200) Eye Dam. 1; Skin Irrit. 2

Label elements

Hazard Symbol

Signal word(s)



Hazard statement(s)

Causes serious eye damage.

Causes skin irritation.

Precautionary statement(s) Wear eye/face protection.

Wash hands and exposed skin after use.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get

immediate medical attention.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs:

Get medical advice/attention.

Other hazards Toxic to aquatic life.

Not classified as PBT or vPvB.

Additional Information None.

Revision: 13 August 2014 Page: 1/6



### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous ingredient(s)	%W/W	CAS No.	Hazard statement(s)
			Causes skin irritation.
Coco diethanolamide	> 95%	68603-42-9	Causes serious eye damage.
			Toxic to aquatic life.
	< 5%	111-42-2	Harmful if swallowed.
Diethanolamine			Causes skin irritation.
			Causes serious eye damage.
			May cause damage to organs through prolonged or
			repeated exposure. (Organs: Liver, Kidneys, Blood)
			Harmful to aquatic life with long lasting effects.

Additional Information - None

### **SECTION 4: FIRST AID MEASURES**



Description of first aid measures

Inhalation Remove to fresh air and keep at rest in a position comfortable for breathing.

If breathing is laboured, administer oxygen. If breathing has stopped, apply

artificial respiration.

Skin Contact Wash affected skin with plenty of water. Continue to wash the affected area

for at least 15 minutes. If irritation (redness, rash, blistering) develops, get

medical attention.

Eye Contact Immediately flush eyes for at least 15 minutes. Hold eye open and rinse

slowly and gently with water. Continue rinsing. Get immediate medical

attention.

Ingestion Drink two glasses of water. Call a physician. If swallowed, and the victim is

conscious and alert, induce vomiting immediately, as directed by medical

personnel.

Most important symptoms and effects, both

acute and delayed

None

Indication of any immediate medical attention

and special treatment needed

None

#### **SECTION 5: FIRE-FIGHTING MEASURES**

**Extinguishing media** 

-Suitable Extinguishing Media Extinguish with waterspray, dry chemical, sand or carbon dioxide or foam.

-Unsuitable Extinguishing Media None anticipated.

Special hazards arising from the substance or

mixture

None anticipated.

Advice for fire-fighters Fire fighters should wear complete protective clothing including self-

contained breathing apparatus.

**SECTION 6: ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protective equipment

and emergency procedures

Put on protective equipment before entering danger area. Wear protective

gloves/protective clothing/eye protection/face protection.

**Environmental precautions** Do not allow to enter drains, sewers or watercourses.

Revision: 13 August 2014 Page: 2/6



Methods and material for containment and

cleaning up

Contain spillages with sand, earth or any suitable adsorbent material.

Transfer to a container for disposal or recovery. Wash the spillage area with

water. If possible prevent water running into sewers.

Reference to other sections
Additional Information

### **SECTION 7: HANDLING AND STORAGE**

**Precautions for safe handling**Do not get in eyes.

Conditions for safe storage, including any incompatibilities

-Storage Temperature Store at room temperature. Prevent from freezing. This product should be

stored at a temperature below: 48.8°C (120°F).

-Incompatible materials Keep container tightly closed and dry.

Specific end use(s) Industrial Cleaners, Metal Prep and Working, Personal Care, Textile Dye

Manufacture

None

None

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

#### Occupational exposure limits

		LTEL (8 hr TWA ppm)		STEL (ppm)		
SUBSTANCE.	CAS No.	PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	Note:
Diethanolamine	111-42-2		1 mg/m3			IFV

IFV = Inhalable Fume and Vapor

Recommended monitoring method

**Exposure controls** 

None

Appropriate engineering controls Not normally required.

Personal protection equipment

Eye/face protection Goggles giving complete protection to eyes.



Skin protection (Hand protection/ Other)

The following to be used as necessary: Gloves (Neoprene or Natural rubber).



Respiratory protection No personal respiratory protective equipment normally required.



Thermal hazards Not normally required.

Environmental Exposure Controls Do not allow to enter drains, sewers or watercourses.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Liquid

Revision: 13 August 2014 Page: 3/6



Colour
Odour
Odour Mild Amine.
Odour Threshold (ppm)
PH (1% aqueous solution)

Molting Point (°C) / Exercing Point (°C)

Not available.

Melting Point (°C) / Freezing Point (°C)

Boiling point/boiling range (°C):

Flash Point (°C)

Evaporation rate (butyl acetate=1)

Not available.

Not available.

93 (200 °F)

< 0.1

Explosition into (cary acctace 1)

Flammability (solid, gas)

Explosive limit ranges

Vapour Pressure (Pascal)

Vapour Density (Air=1)

Pensity (n/ml)

10 999 (8 34 lb/gal)

Vapour Density (Air=1)

Density (g/ml)

Solubility (Water)

Solubility (Other)

3.6 ( diethanolamii 0.999 (8.34 lb/gal) 0.999 (8.34 lb/gal) Not available.

Partition Coefficient (n-Octanol/water)

Auto Ignition Temperature (°C)

Decomposition Temperature (°C)

Kinematic Viscosity (cSt) @ 40°C

Explosive properties

Oxidising properties

Not oxidising.

Other information Not available.

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactionsNone anticipated.Conditions to avoidIncompatible materials.

Incompatible materials Keep away from oxidizing agents and Acids. Corrosive to

Copper and Copper alloys

Hazardous Decomposition Product(s)

Carbon monoxide, Carbon dioxide

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Exposure routes: Inhalation, Skin Contact, Eye Contact

Substances in preparations / mixtures

Coco diethanolamide (CAS# 68603-42-9)

Acute toxicity Oral: LD50 >5000 mg/kg (rat)

Dermal: LD50 > 2000 ml/kg (rabbit) 24 hour(s)

Irritant Serious eye damage/irritation; Causes skin irritation.

**Sensitization** It is not a skin sensitizer.

Repeated dose toxicity

Mutagenicity

Reproductive toxicity

No data

No data

**Carcinogenicity** Probably not carcinogenic to humans.

NTP	IARC	ACGIH	OSHA
Yes	2B	No.	No.

Other information NTP and IARC cancer classifications based on the presence of

diethanolamine (see below)

Diethanolamine (CAS# 111-42-2)

Acute toxicity Oral: LD50 = 1600 mg/kg (rat)

Dermal: No data

Revision: 13 August 2014 Page: 4/6



Irritant Serious eye damage/irritation; Causes skin irritation.

Sensitization It is not a skin sensitizer.

Repeated dose toxicity LOAEL = 25 mg/kg-bw (rat), 13 week(s), oral, Blood disorders, Kidneys

Mutagenicity Negative Reproductive toxicity Negative

Carcinogenicity Probably not carcinogenic to humans.

NTP	IARC	ACGIH	OSHA
Yes	2B	No.	No.

Other information None known.

### **SECTION 12: ECOLOGICAL INFORMATION**

#### Toxicity - Substances in preparations / mixtures

Coco diethanolamide (CAS# 68603-42-9)

Short term LC50 (96 hour): 6.7 mg/l (fish)

EC50 (48 hour): 2.15 - 3.3 mg/l (Daphnia magna, mobility)

Long Term

Persistence and degradability Biodegradable (>70% in 28 days)

Bioaccumulative potential Not available. Mobility in soil Not available.

Results of PBT and vPvB assessment Not classified as PBT or vPvB.

Other adverse effects None known.

Diethanolamine (CAS No. 111-42-2)

Short term LC50 (96 hour): 1460 mg/l (Pimephales promelas)

EC50 (48 hour): 30.1 mg/l (Ceriodaphnia dubia, mobility)

NOAEC (21-day): 0.78 mg/l (Daphnia magna, reproduction) Long Term

LOAEC (21-day): 1.56 mg/l (Daphnia magna, reproduction)

Persistence and degradability Readily biodegradable

Bioaccumulative potential Not available. Mobility in soil Not available.

Results of PBT and vPvB assessment Not classified as PBT or vPvB.

Other adverse effects None known.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods Disposal should be in accordance with local, state or national legislation.

Consult an accredited waste disposal contractor or the local authority for

advice.

**Additional Information** None known.

## **SECTION 14: TRANSPORT INFORMATION**

Land transport Sea transport Air transport (U.S. DOT) (IMDG) (ICAO/IATA)

**UN** number 3082

Not classified as dangerous **Proper Shipping Name** Environmentally hazardous Not classified as substances, liquid, n.o.s., for transport. dangerous for transport.

RQ (Diethanolamine) 9

Ш **Packing group** Hazard label(s) Marine polutant **Environmental hazards** yes

Transport hazard class(es)

Revision: 13 August 2014 Page: 5/6



Special precautions for user None known. None known. None known.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not established.

### **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt. Canada Domestic Substance List (DSL) - Listed

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
Diethanolamine	111-42-2	<5%	100

### SARA 311/312 - Hazard Categories:

☐ Fire ☐ Sudden Release ☐ Reactivity ☐ Immediate (acute) ☐ Chronic (delayed)

### SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
Diethanolamine	111-42-2	<5%

### SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.
None		

#### **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 1-16.

Date of preparation: August 13, 2014

**Additional Information:** 



HMIS (Hazardous Material Information System)



NFPA (National Fire Protection Association)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Nease Co. LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Nease Co. LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 13 August 2014 Page: 6/6