

# SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

# SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

#### Product identifier

Chemical Name Trade name CAS No. Mixture NAXAN<sup>®</sup> 220 Mixture

 Relevant identified uses of the substance or mixture and uses advised against
 Surfactant

 Identified use(s)
 Surfactant

 Uses advised against
 None

## Details of the supplier of the safety data sheet Company Identification

Telephone Telephone (Product Information) Fax E-Mail (competent person)

Emergency telephone number Emergency Phone No. Nease Co. LLC 10740 Paddys Run Road Harrison, OH 45030

(513) 738-1255 (888) 762-7373 (513) 587-2828 techservice@neaseco.com

(513) 738-1255 CHEMTREC 24 hr. (800) 424-9300

# **SECTION 2: HAZARDS IDENTIFICATION**

Classification of the substance or mixture OSHA HCS (29 CFR 1910.1200)

Eye Irrit. 2b

Causes eye irritation.

Wash hands thoroughly after handling.

Not classified as PBT or vPvB.

irritation persists: Get medical advice/attention.

Label elements Hazard Symbol

WARNING

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Signal word(s) Hazard statement(s)

Precautionary statement(s)

Other hazards

**Additional Information** 

None



# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W	CAS No.	Hazard statement(s)
Alkylated naphthalene sulfonate, sodium salt	45-55%	Trade Secret	Causes eye irritation.
			Causes skin irritation.
Proprietary surfactant 1	<1.5%	Trade Secret	Causes eye irritation.
			Toxic to aquatic life with long lasting effects.
Bropriotory aurfactant 2	<2.5%	Trade Secret	Very toxic to aquatic life.
Proprietary surfactant 2	<2.5%	Trade Secret	Very toxic to aquatic life with long lasting effects.
Water	45-55%	7732-18-5	Not applicable

Additional Information – Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.

- Ethylene Oxide (CAS No. 75-21-8) - May accumulate in the head space of drums.

## **SECTION 4: FIRST AID MEASURES**

Description of first aid measures



# InhalationRemove to fresh air and keep at rest in a position comfortable for breathing.<br/>If breathing is laboured, administer oxygen. If breathing has stopped, apply<br/>artificial respiration.Skin ContactWash affected skin with plenty of water. Continue to wash the affected area<br/>for at least 15 minutes. If skin irritation occurs: Get medical advice/attention.Eye ContactImmediately flush eyes for at least 15 minutes. Hold eye open and rinse<br/>slowly and gently with water. Continue rinsing. If irritation develops and<br/>persists, get medical attention.

Ingestion Drink two glasses of water. Call a physician. If swallowed, and the victim is conscious and alert, induce vomiting immediately, as directed by medical personnel.

None

None

Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special treatment needed

## SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media	
-Suitable Extinguishing Media -Unsuitable Extinguishing Media	Extinguish with waterspray, dry chemical, sand or carbon dioxide or foam. None anticipated.
Special hazards arising from the substance or mixture	None anticipated.
Advice for fire-fighters	Fire fighters should wear complete protective clothing including self- contained breathing apparatus.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment	
and emergency procedures	

Put on protective equipment before entering danger area.



Environmental	precautions
---------------	-------------

cleaning up

Do not allow to enter drains, sewers or watercourses.

Methods and material for containment and Cover spills with inert absorbent material. Sweep spilled substances into containers. Transfer to a container for disposal. Reference to other sections None Additional Information None

## **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling	Do not get in eyes. This product may contain trace levels of Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047.
Conditions for safe storage, including any incomp	atibilities
-Storage Temperature	Keep container tightly closed. Prevent from freezing. This product should be stored at a temperature greater than: 20°C (68°F). The product will precipitated at 10°C (50°F).
-Incompatible materials	Keep away from oxidising agents. Keep container tightly closed and dry.

Specific end use(s)

Surfactant

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

## **Occupational exposure limits**

		LTEL (8 hr TWA ppm)		STEL (ppm)		
SUBSTANCE.	CAS No.	PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	Note:
Ethylene Oxide*	75-21-8	1 ppm	1 ppm	5 ppm		*

\* May accumulate in the headspace of drums. OSHA Action Level = 0.5 ppm as an 8-hour time-weighted average. Refer to OSHA 29 CFR 1910.1047.

## **Recommended monitoring method Exposure controls**

Appropriate engineering controls

Personal protection equipment

Eye/face protection



Skin protection (Hand protection/ Other)



Respiratory protection



Thermal hazards

**Environmental Exposure Controls** 

**NIOSH 1614** 

Not normally required.

Wear protective eyewear (goggles, face shield, or safety glasses).

The following to be used as necessary: Gloves (Neoprene or Natural rubber).

No personal respiratory protective equipment normally required. Avoid generation of mist. An approved dust mask should be worn if dust/mist is generated during handling.

Use gloves with insulation for thermal protection, when needed.

Do not allow to enter drains, sewers or watercourses.

Revision: 25 August 2014



## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold (ppm) pH (Value) Melting Point (°C) / Freezing Point (°C) Boiling point/boiling range (°C): Flash Point (°C) Evaporation rate (butyl acetate=1)) Flammability (solid, gas) Explosive limit ranges Vapour Pressure (Pascal) Vapour Density (Air=1) Density (g/ml) Solubility (Water) Solubility (Other) Partition Coefficient (n-Octanol/water) Auto Ignition Temperature (°C) Decomposition Temperature (°C) Kinematic Viscosity (cSt) @ 40°C Explosive properties Oxidising properties

Liquid. Amber to Brown Hvdrocarbon Not available. 7.5 - 10.5 (5% aqueous solution) Not available. 100 (212 °F) 93 (200 °F) <1 Not applicable. Not available. <133 (1 mm HG) Not available. Not available. Soluble Not available. Not available. Not available. Not available. Not available Not available Not oxidising.

Not available.

Other information

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity	Stable under normal conditions.
Chemical stability	Stable.
Possibility of hazardous reactions	None anticipated.
Conditions to avoid	Incompatible materials.
Incompatible materials	Reacts with oxidizers and acids.
Hazardous Decomposition Product(s)	Carbon monoxide, Carbon dioxide, Sulphur oxides,

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Exposure routes: Inhalation, Skin Contact, Eye Contact

#### Substances in preparations / mixtures

Alkylated naphthalene sulfonate, sodium salt (Trade secret) - By analogy with similar materials:

Acute toxicity	Oral: LD50 > 2000 mg/kg-bw
Irritation/Corrosivity	Causes eye irritation.
Sensitization	No information available
Repeated dose toxicity	No information available
Carcinogenicity	No information available

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

# Mutagenicity

Toxicity for reproduction

No information available No information available

This product may contain trace levels of Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047. Ethylene oxide is a known human carcinogen by NTP and a suspected human carcinogen by ACGIH®.



NAXAN® 220

# SECTION 12: ECOLOGICAL INFORMATION

<u>Alkylated naphthalene sulfonate, sodium salt (C</u>	AS No. Trade secret)
Short term	No information available
Long Term	No information available
Proprietary Surfactant 1 (CAS No. Trade Secret	<u>t)</u>
Short term	EC50 (48 hour) = 1.821 mg/L ( <i>Daphnia magna,</i> QSAR)
	EC50 (48 hour) = 20 mg/L ( <i>Pseudokirchnerella subcapitata</i> )
Long Term	No information available
Persistence and degradability	This product is predicted to degrade in soil and water.
Bioaccumulative potential	The product has low potential for bioaccumulation.
Mobility in soil	The product is predicted to have low mobility in soil.
Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
Other adverse effects	None known.
Proprietary Surfactant 2 (CAS No. Trade Secret	t)
Short term	LC50 (96 hour) = 0.323 mg/L ( <i>Pimephales promelas</i> )
	LC50 (48 hour) = 0.716 mg/L ( <i>Ceriodaphnia dubia</i> )
	EC50 (72 hour) = 2.02 mg/L ( <i>Pseudokirchnerella subcapitata</i> )
Long Term	NOEC (21 days) = 0.1 mg/L (Daphnia magna)
0	EC10 (72 hour) = 1.22 mg/L ( <i>Pseudokirchnerella subcapitata</i> )
Persistence and degradability	This product is predicted to degrade in soil and water.
Bioaccumulative potential	The product has low potential for bioaccumulation.
Mobility in soil	The product is predicted to have low mobility in soil.
Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
Other adverse effects	None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methodsDisposal should be in accordance with local, state or national legislation.<br/>Consult an accredited waste disposal contractor or the local authority for<br/>advice.Additional InformationNone known.

# **SECTION 14: TRANSPORT INFORMATION**

Land transport (U.S. DOT) Sea transport <u>(IMDG)</u> Air transport (ICAO/IATA)

UN number Proper Shipping Name Transport hazard class(es) Packing group Hazard label(s) Environmental hazards Special precautions for user

Not classified as dangerous for transport.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

## **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

## Canada Domestic Substance List (NDSL/DSL)

- Listed NDSL: Alkylated naphthalene sulfonate, sodium salt

- Listed DSL: Proprietary surfactants



## Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

	Chemical Name		CAS No.	Typical %wt.	RQ (Pounds)
	None				
SARA 311/3	312 - Hazard Categories:				
☐ Fire	Sudden Release	Reactivity	🛛 Immed	liate (acute)	Chronic (delayed)
SARA 313 -	Toxic Chemicals (40 CF	R 372):			
	Chemical Name		CAS	No.	Typical %wt.
	None				

#### SARA 302 - Extremely Hazardous Substances(40 CFR 355):


Chemical Name	CAS No.	Typical %wt.
None		

# **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 1-16.

Date of preparation: August 24, 2014

Additional Information:



Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Nease Co. LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Nease Co. LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.