

## SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**Product identifier**

Chemical Name	Alkylated naphthalene sulfonate, sodium salt
Trade name	NAXAN®Plus AAP
CAS No.	Mixture

**Relevant identified uses of the substance or mixture and uses advised against**

Identified use(s)	Surfactant
Uses advised against	None

**Details of the supplier of the safety data sheet**

Company Identification	Nease Co. LLC 10740 Paddys Run Road Harrison, OH 45030
Telephone	(513) 738-1255
Telephone (Product Information)	(888) 762-7373
Fax	(513) 587-2828
E-Mail (competent person)	techservice@neaseco.com

**Emergency telephone number**

Emergency Phone No.	(513) 738-1255 CHEMTREC 24 hr. (800) 424-9300
---------------------	--

### SECTION 2: HAZARDS IDENTIFICATION

**Classification of the substance or mixture**

OSHA HCS (29 CFR 1910.1200)	Eye Irrit. 2b May form combustible dust concentrations in air.
-----------------------------	---

**Label elements**

Hazard Symbol



**WARNING**

Signal word(s)

Hazard statement(s)

Causes eye irritation.  
May form combustible dust concentrations in air.

Precautionary statement(s)

Wash hands thoroughly after handling.  
Keep work areas free of dust accumulation. Enclosed material handling equipment (conveyors, ventilation, precipitators, etc.) must be designed and maintained so as not to be a source of ignition.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
For professional users only.

**Other hazards**

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

**Additional Information**

None

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W	CAS No.	Hazard statement(s)
Alkylated naphthalene sulfonate, sodium salt	>90%	Trade Secret	Causes eye irritation. May form combustible dust concentrations in air
Proprietary surfactant	<3%	Trade Secret	Causes serious eye irritation. Causes skin irritation. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Sodium Sulfate	<2%	7757-82-6	Not classified
Water	<5%	7732-18-5	Not applicable

**Additional Information** –Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.

- Ethylene Oxide (CAS No. 75-21-8) - May accumulate in the head space of drums.

## SECTION 4: FIRST AID MEASURES



### Description of first aid measures

Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is laboured, administer oxygen. If breathing has stopped, apply artificial respiration.
Skin Contact	Wash affected skin with plenty of water. Continue to wash the affected area for at least 15 minutes. If skin irritation occurs: Get medical advice/attention.
Eye Contact	Immediately flush eyes for at least 15 minutes. Hold eye open and rinse slowly and gently with water. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Drink two glasses of water. Call a physician. If swallowed, and the victim is conscious and alert, induce vomiting immediately, as directed by medical personnel.

**Most important symptoms and effects, both acute and delayed** None

**Indication of any immediate medical attention and special treatment needed** None

## SECTION 5: FIRE-FIGHTING MEASURES

### Extinguishing media

-Suitable Extinguishing Media	Extinguish with waterspray, dry chemical, sand or carbon dioxide or foam.
-Unsuitable Extinguishing Media	None anticipated.

**Special hazards arising from the substance or mixture** None anticipated.

**Advice for fire-fighters** Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures** Remove all ignition sources. Avoid breathing dust. Put on protective equipment before entering danger area.

**Environmental precautions** None anticipated.

**Methods and material for containment and cleaning up**

Sweep spilled substances into containers. Flush the contaminated area with large amounts of water. Collect spillage and transfer to a container for disposal. If possible prevent water running into sewers.

**Reference to other sections  
Additional Information**

None  
None

## SECTION 7: HANDLING AND STORAGE

**Precautions for safe handling**

Keep container tightly closed. Ground/bond container and receiving equipment. Do not get in eyes. This product may contain trace levels of Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047.

**Conditions for safe storage, including any incompatibilities**

-Storage Temperature  
-Incompatible materials

Store at room temperature.  
Keep away from oxidising agents. Keep container tightly closed and dry.

**Specific end use(s)**

Surfactant

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters**

**Occupational exposure limits**

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)		STEL (ppm)		Note:
		PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	
Ethylene Oxide*	75-21-8	1 ppm	1 ppm	5 ppm	----	*

\* May accumulate in the headspace of drums. OSHA Action Level = 0.5 ppm as an 8-hour time-weighted average. Refer to OSHA 29 CFR 1910.1047.

**Recommended monitoring method**

NIOSH 1614

**Exposure controls**

**Appropriate engineering controls**

Not normally required.

**Personal protection equipment**

Eye/face protection

Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other)

The following to be used as necessary: Gloves (Neoprene or Natural rubber).



Respiratory protection

No personal respiratory protective equipment normally required. An approved dust mask should be worn if dust/mist is generated during handling.



Thermal hazards

Use gloves with insulation for thermal protection, when needed.

**Environmental Exposure Controls**

Prevent entry into drains.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance	Powder/solid
Colour	Tan
Odour	Slight Hydrocarbon
Odour Threshold (ppm)	Not available.
pH (Value)	7.5 - 10.5 (5% aqueous solution)
Melting Point (°C) / Freezing Point (°C)	Not available.
Boiling point/boiling range (°C):	Not available.
Flash Point (°C)	Not available.
Evaporation rate (butyl Acetate=1)	<1
Flammability (solid, gas)	Not available.
Explosive limit ranges	May form combustible dust concentrations in air
Vapour Pressure (Pascal)	Not available.
Vapour Density (Air=1)	Not available.
Density (g/ml)	Not available.
Solubility (Water)	Soluble
Solubility (Other)	Not available.
Partition Coefficient (n-Octanol/water)	Not available.
Auto Ignition Temperature (°C)	Not available.
Decomposition Temperature (°C)	Not available.
Kinematic Viscosity (cSt) @ 40°C	Not available
Explosive properties	Not available
Oxidising properties	Not oxidising.
<b>Other information</b>	Not available.

## SECTION 10: STABILITY AND REACTIVITY

<b>Reactivity</b>	Stable under normal conditions.
<b>Chemical stability</b>	Stable.
<b>Possibility of hazardous reactions</b>	None anticipated.
<b>Conditions to avoid</b>	Incompatible materials.
<b>Incompatible materials</b>	Strong oxidizers and acids.
<b>Hazardous Decomposition Product(s)</b>	Carbon monoxide, Carbon dioxide, Sulphur oxides,

## SECTION 11: TOXICOLOGICAL INFORMATION

**Exposure routes:** Inhalation, Skin Contact, Eye Contact

### Substances in preparations / mixtures

Alkylated naphthalene sulfonate, sodium salt (CAS No.Trade secret)

<b>Acute toxicity</b>	Oral: LD50 > 2000 mg/kg-bw
<b>Irritation/Corrosivity</b>	Causes eye irritation.
<b>Sensitization</b>	No information available
<b>Repeated dose toxicity</b>	No information available
<b>Carcinogenicity</b>	No information available

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

<b>Mutagenicity</b>	No information available
<b>Toxicity for reproduction</b>	No information available

Proprietary surfactant (CAS No.Trade secret) - By analogy with similar materials:

<b>Acute toxicity</b>	Oral: LD50 > 2000 mg/kg-bw (rat) Dermal: LD50 > 2000 mg/kg-bw (rabbit)
-----------------------	---



# NAXAN®Plus AAP

<b>Irritation/Corrosivity</b>	Causes serious eye irritation. Causes skin irritation.
<b>Sensitization</b>	No information available
<b>Repeated dose toxicity</b>	No information available
<b>Carcinogenicity</b>	No information available

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

<b>Mutagenicity</b>	No information available
<b>Toxicity for reproduction</b>	No information available

This product may contain trace levels of Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047. Ethylene oxide is a known human carcinogen by NTP and a suspected human carcinogen by ACGIH®.

## SECTION 12: ECOLOGICAL INFORMATION

Toxicity - Substances in preparations / mixtures

Alkylated naphthalene sulfonate, sodium salt (CAS No. Trade secret)

Short term	No information available
Long Term	No information available
Persistence and degradability	Biodegradable
Bioaccumulative potential	No information available.
Mobility in soil	No information available
Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
Other adverse effects	None known.

Proprietary Surfactant (CAS No. Trade Secret) - By analogy with similar materials:

Short term	LC50 (96 hour) = 1 - 10 mg/l (Fish) EC50 (48 hour) = 1 - 10 mg/l ( <i>Daphnia magna</i> ) EC50 (72 hour) = 10 - 100 mg/l (Algae)
Long Term	No information available
Persistence and degradability	Readily biodegradable.
Bioaccumulative potential	Not available.
Mobility in soil	Not available.
Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
Other adverse effects	None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

<b>Waste treatment methods</b>	Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.
--------------------------------	--

<b>Additional Information</b>	None known.
-------------------------------	-------------

## SECTION 14: TRANSPORT INFORMATION

	Land transport <u>(U.S. DOT)</u>	Sea transport <u>(IMDG)</u>	Air transport <u>(ICAO/IATA)</u>
<b>UN number</b>			
<b>Proper Shipping Name</b>			
<b>Transport hazard class(es)</b>			
<b>Packing group</b>			
<b>Hazard label(s)</b>			
<b>Environmental hazards</b>			
<b>Special precautions for user</b>			

**Not classified as dangerous for transport**

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

## SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

**TSCA (Toxic Substance Control Act)** - Inventory Status: All components listed or polymer exempt.

**Canada (DSL/NDSL)**

- Listed NDSL: Alkylated naphthalene sulfonate, sodium salt
- Listed DSL: Sodium sulfate & proprietary surfactant

**Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):**

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None	----	----	----

**SARA 311/312 - Hazard Categories:**

- Fire   
  Sudden Release   
  Reactivity   
  Immediate (acute)   
  Chronic (delayed)

**SARA 313 - Toxic Chemicals (40 CFR 372):**

Chemical Name	CAS No.	Typical %wt.
None	-----	-----

**SARA 302 - Extremely Hazardous Substances(40 CFR 355):**

Chemical Name	CAS No.	Typical %wt.
None	-----	----

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

**Date of preparation:** September 16, 2014

**Additional Information:**



**HMIS (Hazardous Material Information System)**



**NFPA (National Fire Protection Association)**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Nease Co. LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Nease Co. LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.