

## SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

#### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

#### **Product identifier**

**Chemical Name** Trade name CAS No.

Mixture NAXOLATE® AS-LG95 68585-47-7 (ALT: 151-21-3)

Relevant identified uses of the substance or mixture and uses advised against Identified use(s) Uses advised against None

#### Details of the supplier of the safety data sheet **Company Identification**

Telephone **Telephone** (Product Information) Fax E-Mail (competent person)

**Emergency telephone number** Emergency Phone No.

# Surfactant

Nease Co. LLC 10740 Paddys Run Road Harrison, OH 45030

(513) 738-1255 (888) 762-7373 (513) 587-2828 techservice@neaseco.com

(513) 738-1255 CHEMTREC 24 hr. (800) 424-9300

#### **SECTION 2: HAZARDS IDENTIFICATION**

Classification of the substance or mixture OSHA HCS (29 CFR 1910.1200)

Label elements

Signal word(s)

Hazard statement(s)

Precautionary statement(s)

Eye Dam. 1; Skin Irrit. 2; May form combustible dust concentrations in air.



Causes serious eye damage. Causes skin irritation. May form combustible dust concentrations in air

Wear protective gloves/protective clothing/eye protection/face protection.

Keep work areas free of dust accumulation. Enclosed material handling equipment (conveyors, ventilation, precipitators, etc.) must be designed and maintained so as not to be a source of ignition Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation (redness, rash, blistering) develops, get medical attention.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.



Other hazards

Harmful to aquatic life with long lasting effects. Not classified as PBT or vPvB.

Additional Information:

None.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

| Composition/information on ingredients    | %W/W | CAS No.       | Hazard statement(s)                                |
|---|------|---------------|--|
|   |      |               | Harmful if swallowed. Harmful if inhaled.          |
| Sulfuric acid, mono-C10-C16 alkyl esters, |      | 68585-47-7    | Causes skin irritation.                            |
| sodium salts                              | >90% | (ALT: 151-21- | Causes serious eye damage.                         |
| Socium saits                              |      | 3             | May cause respiratory irritation.                  |
|   |      |               | Harmful to aquatic life with long lasting effects. |
|   |      |               | Causes eye irritation.                             |
| Dodecyl alcohol                           | <3%  | 112-53-8      | Very toxic to aquatic life.                        |
|   |      |               | Toxic to aquatic life with long lasting effects.   |
| Sodium sulfate                            | <6%  | 7757-82-6     | None   |
| Water                                     | <4%  | 7732-18-5     | None   |

Additional Information- None

#### **SECTION 4: FIRST AID MEASURES**



#### Description of first aid measures

| ····  |  |  |  |
|---|--|--|--|
| Inhalation  | Remove to fresh air and keep at rest in a position comfortable for breathing.<br>If breathing is laboured, administer oxygen. If breathing has stopped, apply<br>artificial respiration.                   |  |  |
| Skin Contact  | Wash affected skin with plenty of water. Continue to wash the affected area for at least 15 minutes. Remove contaminated clothing and wash clothing before reuse.  |  |  |
| Eye Contact   | Immediately flush eyes for at least 15 minutes. Hold eye open and rinse slowly and gently with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention. |  |  |
| Ingestion   | If ingested, rinse mouth. Do not induce vomiting. Seek medical treatment.  |  |  |
| Most important symptoms and effects, both acute and delayed                   | None   |  |  |
| Indication of any immediate medical attention<br>and special treatment needed | None   |  |  |

#### **SECTION 5: FIRE-FIGHTING MEASURES**

| Extinguishing media                                   |  |
|---|--|
| -Suitable Extinguishing Media                         | Extinguish with waterspray, dry chemical, sand or carbon dioxide or foam. Do not use water jet on a leak from the tank. Water spray should be used to cool containers. |
| -Unsuitable Extinguishing Media                       | None anticipated.  |
| Special hazards arising from the substance or mixture | None anticipated.  |
| Advice for fire-fighters                              | Fire fighters should wear complete protective clothing including self-<br>contained breathing apparatus. Water spray should be used to cool<br>containers.             |



#### SECTION 6: ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment<br>and emergency procedures | Remove all ignition sources. Avoid breathing dust. Put on protective equipment before entering danger area.   |
|--|---|
| Environmental precautions  | Do not allow to enter drains, sewers or watercourses.   |
| Methods and material for containment and cleaning up                   | Contain spillages with sand, earth or any suitable adsorbent material.<br>Transfer to a container for disposal or recovery. Wash the spillage area with<br>water. If possible prevent water running into sewers.              |
| Reference to other sections<br>Additional Information                  | None<br>None  |
| SECTION 7: HANDLING AND STORAGE  |   |
| Precautions for safe handling  | Keep container in a well-ventilated place. Keep container closed. Empty container may contain product residues. Ground/bond container and receiving equipment. Follow precautions for safe handling after container is empty. |

| Conditions for safe storage, including any inc | compatibilities |
|--|-----------------|
| -Storage Temperature                           | Not specified.  |
| -Incompatible materials                        | None known.     |
| Specific end use(s)                            | Surfactant      |

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

| Occupational expos | sure limits |            |             |            |             |           |
|--------------------|-------------|------------|-------------|------------|-------------|-----------|
|                    |             | LTEL (8 hr | TWA mg/m³)  | STEL       | (mg/m³)     |           |
| SUBSTANCE.         | CAS No.     | PEL (OSHA) | TLV (ACGIH) | PEL (OSHA) | TLV (ACGIH) | Note:     |
| Particulate Matter |             | 15^ / 10*  | 10^^ / 3*   |            |             | See below |

Not normally required.

- TWA = Time-Weighted Average; STEL: Short Term Exposure Limit;

- ^Total Dust / \*Respirable Dust / ^^Inhalable Dust

#### **Recommended monitoring method**

Exposure controls

Appropriate engineering controls

Personal protection equipment

Eye/face protection



Skin protection (Hand protection/ Other)



Respiratory protection



Thermal hazards

Use gloves with insulation for thermal protection, when needed.

No personal respiratory protective equipment normally required. Avoid generation of mist. An approved dust mask should be worn if

Wear protective eyewear (goggles, face shield, or safety glasses).

The following to be used as necessary: Gloves (Neoprene or Natural rubber). Check with protective equipment manufacturer's data.

**Environmental Exposure Controls** 

Do not allow to enter drains, sewers or watercourses.

dust/mist is generated during handling.

NIOSH O500 / 0600, IOM Sampling Method

Revision: 3 May 2016



#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold (ppm) pH (Value) Melting Point (°C) / Freezing Point (°C) Boiling point/boiling range (°C): Flash Point (°C) Evaporation rate (butyl acetate=1) Flammability (solid, gas) Explosive limit ranges Vapour Pressure (Pascal) Vapour Density (Air=1) Density (g/ml) Solubility (Water) Solubility (Other) Partition Coefficient (n-Octanol/water) Auto Ignition Temperature (°C) Decomposition Temperature (°C) Kinematic Viscosity (cSt) @ 40°C Explosive properties Oxidising properties

solid White Mild, Fatty Odour Not available. 7-9.5 (1% aqueous solution) Not available. Not available. Not applicable. Not available. May form combustible dust concentrations in air. Not available. Low. Not available. Not available. Soluble. Not available. Not available. Not available. Not available. Not available. Not available Not oxidising.

#### Other information

#### SECTION 10: STABILITY AND REACTIVITY

#### Reactivity Chemical stability

Possibility of hazardous reactions Conditions to avoid Incompatible materials Hazardous Decomposition Product(s)

#### Stable under normal conditions. Stable. None anticipated. Incompatible materials. None known. Carbon monoxide, Carbon dioxide, Sulphur oxides

Not available.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

Exposure routes: Skin Contact, Eye Contact

#### Substances in preparations / mixtures

|--|

| Acute toxicity         | Oral: LD50 = 1200 mg/kg bw<br>Dermal: LD50 > 2000 mg/kg (By analogy with similar materials)                         |
|------------------------|---|
| Irritation/Corrosivity | Causes serious eye damage. Causes skin irritation.  |
| Sensitization          | It is not a skin sensitiser. (By analogy with similar materials)  |
| Repeated dose toxicity | NOAEL: 488 mg/kg/day (13 weeks, feed, Systemic effects)<br>LOAEL: 1016 mg/kg/day (13 weeks, feed, Systemic effects) |
| Carcinogenicity        | It is unlikely to present a carcinogenic hazard to man.   |

| NTP | IARC | ACGIH | OSHA | NIOSH |
|-----|------|-------|------|-------|
| No. | No.  | No.   | No.  | No.   |

Mutagenicity Toxicity for reproduction There is no evidence of mutagenic potential.

Not to be expected. NOAEL: >300 mg/kg/day (parental) (By analogy with similar materials) NOEL: >300 mg/kg/day (developmental) (By analogy with similar materials)



#### Dodecyl alcohol (CAS No. 112-53-8)

| NTP                                   | IARC         | ACGIH   | OSHA | NIOSH |
|---------------------------------------|--------------|---|------|-------|
| Carcinogenicity                       | It is unlike | It is unlikely to present a carcinogenic hazard to man.   |      |       |
| Repeated dose tox                     | •            | NOAEL:= 2000 mg/kg/day (14-54 days, feed, Systemic effects)<br>NOEL: <100 mg/kg/day (14-54 days, feed, Systemic effects)                      |      |       |
| Irritation/Corrosivi<br>Sensitization |              | Causes eye irritation. Not Irritating to skin.<br>It is not a skin sensitiser.  |      |       |
| Acute toxicity                        | Dermal: Ll   | Oral: LD50 > 2000 mg/kg bw<br>Dermal: LD50 = 8000-12000 mg/kg<br>Inhalation: LC50 > 71 mg/l (1 hour, mist, By analogy with similar materials) |      |       |

No.

Mutagenicity Toxicity for reproduction

No.

There is no evidence of mutagenic potential. Not to be expected. NOAEL:= 2000 mg/kg/day (parental)

No.

No.

#### **SECTION 12: ECOLOGICAL INFORMATION**

Toxicity - Substances in preparations / mixtures

Sulfuric acid, mono-C10-a6 alkyl esters, sodium salts (CAS 68585-47-7)

No.

| Short term  | LC50 (96 hour): 29 mg/L ( <i>Pimephales promelas)</i><br>LC50 (48 hour): 5.55 mg/l ( <i>Ceriodaphnia dubia,</i> mortality)<br>EC50 (72 hour): >120 mg/l ( <i>Desmodesmus subspicatus</i> )           |
|---|--|
| Long Term   | NOEC (42 days): >1.357 mg/l ( <i>Pimephales promelas, Weight</i> )<br>NOEC (7 days): 0.88 mg/L ( <i>Ceriodaphnia dubia, reproduction</i> )   |
| Persistence and degradability<br>Bioaccumulative potential<br>Mobility in soil<br>Results of PBT and vPvB assessment<br>Other adverse effects | Biodegradable.<br>Not available.<br>The substance has low mobility in soil.<br>Not classified as PBT or vPvB.<br>None  |
| Dodecyl alcohol (CAS No. 112-53-8)  |  |
| Short term  | LC50 (96 hour): 1.01 mg/L <i>(Pimephales promelas)</i><br>LC50 (48 hour): 0.765 mg/l ( <i>Daphnia magna,</i> immobilisation <i>)</i><br>EC50 (72 hour): 0.33 mg/l ( <i>Desmodesmus subspicatus</i> ) |
| Long Term   | NOEC (21 days): 14 µg/l (Daphnia magna, reproduction)  |
| Persistence and degradability<br>Bioaccumulative potential<br>Mobility in soil<br>Results of PBT and vPvB assessment<br>Other adverse effects | Readily biodegradable.<br>The substance has low potential for bioaccumulation.<br>The substance has low mobility in soil.<br>Not classified as PBT or vPvB.<br>None                                  |

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

| Waste treatment methods | Dispose of contents in accordance with local, state or national legislation. |
|-------------------------|--|
| Additional Information  | None known.  |



### NAXOLATE<sup>®</sup> AS-LG95

#### **SECTION 14: TRANSPORT INFORMATION**

| Land transport    |  |
|-------------------|--|
| <u>(U.S. DOT)</u> |  |

Sea transport (IMDG)

Air transport (ICAO/IATA)

**UN number Proper Shipping Name** Transport hazard class(es) Packing group Hazard label(s) **Environmental hazards** Special precautions for user

Not classified as dangerous for transport

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

#### **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt. Canada Domestic Substance List (DSL) - Listed

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

|  | Chemical Name       |          | CAS No.    | Typical %wt.  | RQ (Pounds)       |  |  |  |
|--|---------------------|----------|------------|---------------|-------------------|--|--|--|
|  | None                |          |            |               |                   |  |  |  |
| SARA 311/312 - Hazard Categories:        |                     |          |            |               |                   |  |  |  |
|  | Fire Sudden Release | Reactivi | ty 🛛 Immed | liate (acute) | Chronic (delayed) |  |  |  |
| SARA 313 - Toxic Chemicals (40 CFR 372): |                     |          |            |               |                   |  |  |  |
|  | Chemical Name       |          | CAS        | No.           | Typical %wt.      |  |  |  |
| ſ  | None                |          |            |               |                   |  |  |  |

#### SARA 302 - Extremely Hazardous Substances(40 CFR 355):


| Chemical Name | CAS No. | Typical %wt. |
|---------------|---------|--------------|
| None          |         |              |

#### **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 1-16

Date of preparation: May 3, 2016

**Additional Information:** 



Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Nease Co. LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Nease Co. LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.