

Peractive AC white

Version 0.0

Revision Date 06/15/2015

Print Date 06/15/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Peractive AC white
Product code : 000010079858

Manufacturer or supplier's details

Company : WeylChem Lamotte S.A.S
Usine de Lamotte
Rue du Flottage
60350 Trosly-Breuil
France

Telephone : +33 (0)3 44 85 40 00
Prepared by : Product Stewardship Dpt.
geraldine.primazot@weylchem.com

Emergency telephone : +1 215 207 0061 (24 H)
number

Recommended use of the chemical and restrictions on use

Recommended use : Bleaching agents

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Appearance	granular
Colour	white
Odour	characteristic
Hazard Summary	Risk of dust explosion.

GHS Classification

Not a dangerous substance or mixture according to the Globally Harmonised System (GHS).

GHS- Labelling - Label elements

Not a dangerous substance or mixture according to the Globally Harmonised System (GHS).

Potential Health Effects

Primary Routes of Entry : no

Inhalation : May cause irritation of respiratory tract.

Skin : Not expected to be irritating to skin.
Not expected to be toxic by skin absorption.

Eyes : May cause mild eye irritation

Ingestion : Not expected to be toxic.

Aggravated Medical : None known.

Peractive AC white

Version 0.0

Revision Date 06/15/2015

Print Date 06/15/2015

Condition

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
N,N'-ethylenebis[N-acetylacetamide]	10543-57-4	50 - 95

SECTION 4. FIRST AID MEASURES

General advice : Remove/Take off immediately all contaminated clothing.

If inhaled : If inhaled, remove to fresh air.
Get medical advice/ attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

If swallowed : Get medical attention immediately.

Most important symptoms and effects, both acute and delayed : None known.
None known.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray jet
Foam

Unsuitable extinguishing media : Carbon dioxide (CO₂)
Dry powder

Specific hazards during firefighting : Risk of dust explosion.

In case of fires, hazardous combustion gases are formed:
Carbon monoxide
Nitrogen oxides (NO_x)

Special protective equipment : Self-contained breathing apparatus

Peractive AC white

Version 0.0

Revision Date 06/15/2015

Print Date 06/15/2015

for firefighters

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Avoid dust formation.
: Wear suitable protective clothing.
- Environmental precautions : Prevent product from entering drains.
Do not contaminate water.
- Methods and materials for containment and cleaning up : Use mechanical handling equipment.
Flush with water.

SECTION 7. HANDLING AND STORAGE**Handling**

- Advice on safe handling : Use only in well-ventilated areas.
Avoid dust formation.
Avoid dust accumulation in enclosed space.
- Advice on protection against fire and explosion : Take precautionary measures against build-up of electrostatic charges, e.g earthing during loading and off-loading operations.
Keep away from sources of ignition - No smoking.
- Dust explosion class : Capable of dust explosion

Storage

- Requirements for storage areas and containers : Keep only in the original container.
- Further information on storage conditions : Store in a dry place.
- Advice on common storage : Keep away from oxidizing agents.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

None

- Engineering measures** : Use adequate exhaust ventilation and/or dust collection to keep dust levels below exposure limits.

Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates

Peractive AC white

Version 0.0

Revision Date 06/15/2015

Print Date 06/15/2015

that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
Respirator with a half face mask
Effective dust mask

Particle-filtering half-mask according to DIN EN 149
Filter class FFP2

Hand protection	
Remarks	: Protective gloves complying with EN 374. Minimum thickness (glove): not determined
Eye protection	: Safety glasses
Protective measures	: Do not breathe dust. Avoid contact with skin and eyes.
Hygiene measures	: Wash hands before breaks and at the end of workday. Use protective skin cream before handling the product. Take off immediately all contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: granular
Colour	: white
Odour	: characteristic
pH	: 6 - 8, Concentration: 1 g/l (20 °C)
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: Not applicable
Density	: No data available
Bulk density	: ca. 420 kg/m ³
Solubility(ies)	

Peractive AC white

Version 0.0

Revision Date 06/15/2015

Print Date 06/15/2015

Water solubility	: ca. 1 g/l soluble (20 °C)
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: Not applicable
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Flow time	: Not applicable
Explosive properties	: Not explosive Method: Expert judgement
Oxidizing properties	: The substance or mixture is not classified as oxidizing. Method: Expert judgement
Surface tension	: Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: See section 10.3. "Possibility of hazardous reactions"
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: With oxidizing agents possible.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO ₂) Nitrogen oxides (NO _x)

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product:**

Acute oral toxicity	: LD50 Rat: > 2,000 mg/kg Method: OECD Test Guideline 401
---------------------	--

Peractive AC white

Version 0.0

Revision Date 06/15/2015

Print Date 06/15/2015

GLP: yes

Remarks: Information refers to the main component.

Acute inhalation toxicity : LC50 Rat: > 2.08 mg/l
Exposure time: 4 h
Method: OPPTS 870.1300
GLP: yes
Remarks: Information refers to the main component.

Acute dermal toxicity : LD50 Rats (Male/Female): > 2,000 mg/kg
Method: OPPTS 870.1200
GLP: yes
Remarks: Information refers to the main component.

Skin corrosion/irritation**Product:**

Species: Rabbit
Result: No skin irritation
Method: OPPTS 870.2500
GLP: yes

Serious eye damage/eye irritation**Product:**

Species: rabbit eye
Result: No eye irritation
Method: OECD Test Guideline 405
GLP: yes

Respiratory or skin sensitisation**Product:**

Test Method: Guinea pig maximization test
Species: Guinea pig
Result: negative
Method: OPPTS 870.2600
GLP: yes

Germ cell mutagenicity**Product:**

Genotoxicity in vitro : Remarks: No data available
Germ cell mutagenicity-
Assessment : Not mutagenic in Ames Test

In vitro cytogenetic negative.

Carcinogenicity**Product:**

Peractive AC white

Version 0.0

Revision Date 06/15/2015

Print Date 06/15/2015

Remarks: No data available

Reproductive toxicity

Product:

Reproductive toxicity - Assessment :

No toxicity to reproduction
No toxicity to reproduction

STOT - single exposure

Product:

Remarks: No data available

STOT - repeated exposure

Product:

Remarks: No data available

Repeated dose toxicity

Product:

Rats (Male/Female), male and female:
NOAEL: 90 mg/kg
Application Route: oral (gavage)
Dose: 0, 90, 250, 800 mg/kg bw/d
Method: OECD Test Guideline 408
GLP: yes

Rats (Male/Female), male and female:
NOAEL: 200 mg/kg
LOAEL: 2,000 mg/kg
Application Route: Dermal
Dose: 0, 20, 200, 2000 mg/kg bw/d
GLP: yes

Aspiration toxicity

Product:

No data available

Further information

Product:

Remarks: Information refers to the main component.

Peractive AC white

Version 0.0

Revision Date 06/15/2015

Print Date 06/15/2015

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 500 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: no
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Method: OPPTS 850.1010
GLP: yes
Remarks: static test
- NOEC (Daphnia magna (Water flea)): 500 mg/l
Method: OECD Test Guideline 211
GLP: yes
Remarks: semi-static test
- Toxicity to algae : EC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): > 1,000 mg/l
End point: Growth rate
Exposure time: 72 h
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes
- Toxicity to bacteria : EC50 : > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
GLP: no
- Toxicity to soil dwelling organisms : NOEC: 500 mg/kg
Exposure time: 56 d
End point: Reproduction rate
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 222
GLP: yes

Persistence and degradability**Product:**

- Biodegradability : Biodegradation: > 98 %
Exposure time: 28 d
Method: OECD Test Guideline 301A
Remarks: Information refers to the main component.
- Biodegradation: 90 - 100 %
Exposure time: 59 d
Method: OECD Test Guideline 311
Remarks: Information refers to the main component.

Peractive AC white

Version 0.0

Revision Date 06/15/2015

Print Date 06/15/2015

Biodegradation: > 90 %
Exposure time: 9 d
Method: OECD Test Guideline 302B

Chemical Oxygen Demand (COD) : 1,260 mg/g
Dissolved organic carbon (DOC) : 435 mg/g
Physico-chemical removability : Remarks: No data available

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

Partition coefficient: n-octanol/water : Remarks: No data available

Mobility in soil**Product:**

Distribution among environmental compartments : Remarks: No data available

Other adverse effects**Product:**

Environmental fate and pathways : Remarks: No data available

Results of PBT and vPvB assessment : This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT)., This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Additional ecological information : Ecological data given refer to the main component.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with the European Directives on waste and hazardous waste.
In accordance with local and national regulations.
Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

Peractive AC white

Version 0.0

Revision Date 06/15/2015

Print Date 06/15/2015

International Regulation

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good


SECTION 15. REGULATORY INFORMATION

- SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
- SARA 313** : This product does not contain any toxic chemical listed under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986.
- California Prop 65** : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Observe national and local legal requirements

Observe all necessary precautions for handling fine powders to control dust. May present dust explosion hazard. Reference exposure limit: ACGIH (TLV) for particulate matter - 10 mg/m³ inhalable particulates, 3 mg/m³ respirable particulates. OSHA Permissible Limit (PEL) for particulate matter: total dust: 15 mg/m³; respirable fraction: 5 mg/m³

Peractive AC white

Version 0.0

Revision Date 06/15/2015

Print Date 06/15/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.