

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Mixture

Trade name NAXAN® AAL

CAS No. Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) Surfactant Uses advised against None

Details of the supplier of the safety data sheet

Company Identification Nease Co. LLC

10740 Paddys Run Road Harrison, OH 45030

 Telephone
 (513) 738-1255

 Telephone (Product Information)
 (888) 762-7373

 Fax
 (513) 587-2828

E-Mail (competent person) techservice@neaseco.com

Emergency telephone number

Emergency Phone No. (513) 738-1255

CHEMTREC 24 hr. (800) 424-9300

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Eye Irrit. 2b

Label elements

Hazard Symbol

Signal word(s)



Hazard statement(s)

Causes eye irritation.

Precautionary statement(s) Wash hands thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

Other hazards Not classified as PBT or vPvB.

Additional Information None

Revision: 1 September 2014 Page: 1/6



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W	CAS No.	Hazard statement(s)
Alkylated naphthalene sulfonate, sodium salt	45-55%	Trade Secret	Causes eye irritation.
Proprietary surfactant	<2%	Trade Secret	Causes skin irritation. Causes eye irritation. Toxic to aquatic life with long lasting effects.
Water	45-55%	7732-18-5	Not applicable

Additional Information – Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.

- Ethylene Oxide (CAS No. 75-21-8) - May accumulate in the head space of drums.

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation Remove to fresh air and keep at rest in a position comfortable for breathing.

If breathing is laboured, administer oxygen. If breathing has stopped, apply

artificial respiration.

Skin Contact Wash affected skin with plenty of water. Continue to wash the affected area

for at least 15 minutes. If skin irritation occurs: Get medical advice/attention.

Eye Contact Immediately flush eyes for at least 15 minutes. Hold eye open and rinse

slowly and gently with water. Continue rinsing. If irritation develops and

persists, get medical attention.

Ingestion Drink two glasses of water. Call a physician. If swallowed, and the victim is

conscious and alert, induce vomiting immediately, as directed by medical

personnel.

Most important symptoms and effects, both

acute and delayed

None

Indication of any immediate medical attention

and special treatment needed

None

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

-Suitable Extinguishing Media Extinguish with waterspray, dry chemical, sand or carbon dioxide or foam.

-Unsuitable Extinguishing Media None anticipated.

Special hazards arising from the substance or

mixture

None anticipated.

Advice for fire-fighters Fire fighters should wear complete protective clothing including self-

contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment

and emergency procedures

Put on protective equipment before entering danger area.

Environmental precautions

Prevent entry into drains.

Revision: 1 September 2014 Page: 2/6



Methods and material for containment and

cleaning up

Cover spills with inert absorbent material. Sweep spilled substances into

containers. Transfer to a container for disposal.

Reference to other sections None
Additional Information None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling Do not get in eyes. This product may contain trace levels of Ethylene oxide

(CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with

OSHA standard 29 CFR 1910.1047.

Conditions for safe storage, including any incompatibilities

-Storage Temperature Keep container tightly closed. Prevent from freezing. This product should

be stored at a temperature greater than: 31°C (88°F). The product will

precipitated at 21°C (70°F).

-Incompatible materials Keep away from oxidising agents. Keep container tightly closed and dry.

Specific end use(s) Surfactant

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits

		LTEL (8 hr TWA ppm)		STEL (ppm)		
SUBSTANCE.	CAS No.	PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	Note:
Ethylene Oxide*	75-21-8	1 ppm	1 ppm	5 ppm		*

^{*} May accumulate in the headspace of drums. OSHA Action Level = 0.5 ppm as an 8-hour time-weighted average. Refer to OSHA 29 CFR 1910.1047.

Recommended monitoring method

Exposure controls

NIOSH 1614

Appropriate engineering controls

Not normally required.

Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other)

The following to be used as necessary: Gloves (Neoprene or Natural rubber).



Respiratory protection

No personal respiratory protective equipment normally required. Avoid generation of mist. An approved dust mask should be worn if

dust/mist is generated during handling.

Thermal hazards

Use gloves with insulation for thermal protection, when needed.

Environmental Exposure Controls

Prevent entry into drains.

Revision: 1 September 2014 Page: 3/6



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Liquid.

Colour Amber to Brown
Odour Mild aromatic
Odour Threshold (ppm) Not available.
pH (Value) 7.5 - 10.5
Melting Point (°C) / Freezing Point (°C) Not available.

Boiling point (°C):
Flash Point (°C):

Not available.

100 (212 °F)

121 (250 °F)

121 (250 °F)

Evaporation rate (butyl acetate=1) <

Flammability (solid, gas)

Explosive limit ranges

Not applicable.

Not available.

Vapour Pressure (Pascal) Approximately that of water.

Vapour Density (Air=1) Not available.

Density (g/ml) 1.15-1.25 @ 25 °C (78 °C)

Solubility (Water)
Soluble
Solubility (Other)
Not available.
Partition Coefficient (n-Octanol/water)
Not available.
Auto Ignition Temperature (°C)
Not available.
Decomposition Temperature (°C)
Kinematic Viscosity (cSt) @ 40°C
Explosive properties
Soluble
Not available
Not available
Not available

Oxidising properties Not oxidising.

SECTION 10: STABILITY AND REACTIVITY

Other information

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactionsNone anticipated.Conditions to avoidIncompatible materials.Incompatible materialsReacts with oxidizers.

Hazardous Decomposition Product(s)

Carbon monoxide, Carbon dioxide, Sulphur oxides

Not available.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Substances in preparations / mixtures

Alkylated naphthalene sulfonate, sodium salt (Trade secret) - By analogy with similar materials:

 Acute toxicity
 Oral: LD50 > 2000 mg/kg-bw

 Irritation/Corrosivity
 Causes eye irritation.

 Sensitization
 No information available

 Repeated dose toxicity
 No information available

 Carcinogenicity
 No information available

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

MutagenicityNo information availableToxicity for reproductionNo information available

This product may contain trace levels of Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047. Ethylene oxide is a known human carcinogen by NTP and a suspected human carcinogen by ACGIH®.

Revision: 1 September 2014 Page: 4/6



SECTION 12: ECOLOGICAL INFORMATION

Toxicity - Substances in preparations / mixture

Alkylated naphthalene sulfonate, sodium salt (CAS No. Trade secret)

Short term No information available Long Term No information available

Proprietary Surfactant (CAS No. Trade Secret)

Short term EC50 (48 hour) = 1.821 mg/L (Daphnia magna, QSAR)

EC50 (48 hour) = 20 mg/L (Pseudokirchnerella subcapitata)

Long Term No information available

Persistence and degradability

This product is predicted to degrade in soil and water.

Bioaccumulative potential

The product has low potential for bioaccumulation.

Mobility in soil

The product is predicted to have low mobility in soil.

Results of PBT and vPvB assessment Not classified as PBT or vPvB.

Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal should be in accordance with local, state or national legislation.

Consult an accredited waste disposal contractor or the local authority for

advice.

Additional Information None known.

SECTION 14: TRANSPORT INFORMATION

Land transport Sea transport Air transport
(U.S. DOT) (IMDG) (ICAO/IATA)

Not classified as dangerous for transport.

UN number

Proper Shipping Name

Transport hazard class(es)

Packing group Hazard label(s)

Environmental hazards

Special precautions for user

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Canada Domestic Substance List (NDSL/DSL)

- Listed NDSL: Alkylated naphthalene sulfonate, sodium salt
- Listed DSL: Proprietary surfactants

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

None	Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
	None			

SARA 311/312 - Hazard Categories:

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None		

Revision: 1 September 2014 Page: 5/6



SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.
None		

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Date of preparation: September 1, 2014

Additional Information:



HMIS (Hazardous Material Information System)



NFPA (National Fire Protection Association)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Nease Co. LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Nease Co. LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 1 September 2014 Page: 6/6