

NAXAN[®]PLUS 220

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier **Chemical Name** Trade name

CAS No.

Mixture NAXAN®PLUS 220 Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) Uses advised against

Details of the supplier of the safety data sheet **Company Identification**

Telephone Telephone (Product Information) Fax E-Mail (competent person)

Emergency telephone number Emergency Phone No.

Surfactant None Nease Co. LLC

10740 Paddys Run Road Harrison, OH 45030

(513) 738-1255 (888) 762-7373 (513) 587-2828 techservice@neaseco.com

(513) 738-1255 CHEMTREC 24 hr. (800) 424-9300

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS	(29 CFR 1	1910 1200)

Label elements Hazard Symbol

Signal word(s)

Hazard statement(s)

Precautionary statement(s)

Eye Dam. 1; Skin Irrit. 2



Causes serious eye damage. Causes skin irritation.

Wear eye/face protection.

Wash hands and exposed skin after use.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical attention.

For professional users only.

Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Not classified as PBT or vPvB.

Additional Information

Other hazards

None.





SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredient(s)	%W/W	CAS No.	Hazard statement(s)
Alkylated naphthalene sulfonate, sodium salt	45 - 55	Trade Secret	Causes eye irritation
Proprietary surfactant	< 3%	Trade Secret	Causes serious eye damage. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.
Proprietary alcohol	< 1%	Trade Secret	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Additional Information - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.

- Ethylene Oxide (CAS No. 75-21-8) - May accumulate in the head space of drums.

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is laboured, administer oxygen. If breathing has stopped, apply artificial respiration.
Skin Contact	Wash affected skin with plenty of water. Continue to wash the affected area for at least 15 minutes. If irritation (redness, rash, blistering) develops, get medical attention.
Eye Contact	Immediately flush eyes for at least 15 minutes. Hold eye open and rinse slowly and gently with water. Continue rinsing. Get immediate medical attention.
Ingestion	Drink two glasses of water. Call a physician. If swallowed, and the victim is conscious and alert, induce vomiting immediately, as directed by medical personnel.
Most important symptoms and effects, both acute and delayed	None
Indication of any immediate medical attention and special treatment needed	None

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media	
-Suitable Extinguishing Media -Unsuitable Extinguishing Media	Extinguish with waterspray, dry chemical, sand or carbon dioxide or foam. None anticipated.
Special hazards arising from the substance or mixture	None anticipated.
Advice for fire-fighters	Fire fighters should wear complete protective clothing including self- contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment	Put on protective equipment before entering danger area.
and emergency procedures	
Environmental precautions	Do not allow to enter drains, sewers or watercourses.



Methods and material	I for containment and
cleaning up	

Cover spills with inert absorbent material. Sweep spilled substances into containers. Transfer to a container for disposal. Flush the contaminated area with large amounts of water. If possible prevent water running into sewers.

Reference to other sections Additional Information

with large amounts of water. If possible prevent wate None None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling Conditions for safe storage, including any incomp	Do not get in eyes. This product may contain trace levels of Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047. patibilities
-Storage Temperature	Prevent from freezing. This product should be stored at a temperature above: 20 $^{\circ}$ C (68 $^{\circ}$ F). The product will precipitated at 10 $^{\circ}$ C (50 $^{\circ}$ F)
-Incompatible materials	Keep container tightly closed and dry.
Specific end use(s)	Surfactant

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits

			r TWA ppm)		(ppm)	
SUBSTANCE.	CAS No.	PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	Note:
Ethylene Oxide*	75-21-8	1 ppm	1 ppm	5 ppm		*
* May accumulate i 29 CFR 1910.104		of drums. OSHA	Action Level = 0.5	ppm as an 8-houi	time-weighted av	rerage. Refer to OSHA
Recommended mo Exposure controls	nitoring methoo	I	NIOSH 16	14		
Appropriate engine	ering controls		Not norma	lly required.		
Personal protection	n equipment					
Eye/face protection	n		Wear prote	ective eyewear (go	oggles, face shield	l, or safety glasses).
						
Skin protection (H	land protection/ C	Other)	The follow rubber).	ing to be used as	necessary:Gloves	(Neoprene or Natural
Respiratory protect	ction		Avoid gene		approved dust ma	normally required. ask should be worn if
Thermal hazards			Use gloves	s with insulation fo	r thermal protection	on, when needed.
Environmental Exp	osure Controls		Do not allo	ow to enter drains,	sewers or waterco	ourses.



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold (ppm) pH (Value) Melting Point (°C) / Freezing Point (°C) Boiling point/boiling range (°C): Flash Point (°C) Evaporation rate Flammability (solid, gas) Explosive limit ranges Vapour Pressure (Pascal) Vapour Density (Air=1) Density (g/ml) Solubility (Water) Solubility (Other) Partition Coefficient (n-Octanol/water) Auto Ignition Temperature (°C) Decomposition Temperature (°C) Kinematic Viscosity (cSt) @ 40°C Explosive properties Oxidising properties

Liquid Brown Hydrocarbon odor Not available 7 - 10 (5% aqueous solution) ~ 0 (32 °F) ~100 (212 °F) > 93.3 (> 200 °F) Not available Not applicable Not available ~2333 Not available Not available Miscible Not available Not available Not available Not available Not available Not explosive. Not oxidising.

Other information

SECTION 10: STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions Conditions to avoid Incompatible materials Hazardous Decomposition Product(s)

Stable under normal conditions. Stable. None anticipated. Incompatible materials. Keep away from oxidizing agents Carbon monoxide, Carbon dioxide

Not available

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Substances in preparations / mixtures

Alkylated naphthalene sulfonate, sodium salt (Trade secret) - By analogy with similar materials:

Acute toxicity	Oral: LD50 > 2000 mg/kg-bw
Irritation/Corrosivity	Causes eye irritation.
Sensitization	No information available
Repeated dose toxicity	No information available
Carcinogenicity	No information available

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity Toxicity for reproduction

Properitary surfactant (Trade secret)

Acute toxicity

Irritation/Corrosivity Sensitization No information available No information available

Oral: LD50 > 5000 mg/kg Dermal: LD50 > 2000 mg/kg Causes serious eye damage. It is not a skin sensitiser.



Repeated dose toxicity

Carcinogenicity

NOAEL: 433 mg/kg bw/day (Oral, 21 days) No information available

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.
Mutagenicity Toxicity for reproc Proprietary alcohol (Tr			s no evidence of mutag .: >250 mg/kg bw/day (j	enic potential. parental, F1 and F2 generations)
Acute toxicity			D50 = 26533-37434 mg : LD50 > 2000 mg/kg	/kg
Irritation/Corrosivi Sensitization Repeated dose to	•	None It is not a skin sensitiser. NOAEL (Oral, 21 days) > 1 ml/kg bw/day (By analogy with similar materials)		
Carcinogenicity		No info	rmation available	
NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.
Mutagenicity		There i	s no evidence of mutag	enic potential.

Toxicity for reproduction

NOAEL (Developmental Toxicity): >1000 mg/kg bw/day (By analogy with similar materials)

This product may contain trace levels of Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047. Ethylene oxide is a known human carcinogen by NTP and a suspected human carcinogen by ACGIH®.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity - Substances in preparations / mixture

Alkylated naphthalene sulfonate, sodium salt (CAS No. Trade secret)

Short term	No information available
Long Term	No information available
Proprietary Surfactant (CAS No. Trade Secret)	
Short term	EC50 (96 hour) = 0.48 mg/l (<i>Fathead minnow)</i> EC50 (48 hour) = 0.40 mg/l (<i>Daphnia magna</i>)
	EC50 (72 hour) = 0.85 mg/l (<i>Pseudokirchnerella subcapitata</i>)
Long Term	NOEC (30 days) = 0.28 mg/l (<i>Pimephales promelas</i>)
Persistence and degradability	Readily biodegradable.
Bioaccumulative potential	The product has low potential for bioaccumulation.
Mobility in soil	The product has low mobility in soil.
Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
Other adverse effects	None known.
Proprietary Alcohol (CAS No. Trade Secret)	
Short term	LC50 (96 hour) = 0.48 mg/L (<i>Oncorhynchus mykiss</i>)
	$ECOU(40 \Pi OUI) = 0.700 \Pi Q/L(Daprinia \Pi aqria)$
	EC50 (48 hour) = 0.765 mg/L (<i>Daphnia magna</i>) EC50 (72 hour) = 2.1 mg/L (<i>Pseudokirchnerella subcapitata</i>) EC0 (3 hour) > 1000 mg/L (Activated sludge)
Long Term	
Long Term Persistence and degradability	EC50 (72 hour) = 2.1 mg/L (<i>Pseudokirchnerella subcapitata</i>) EC0 (3 hour) > 1000 mg/L (Activated sludge) NOEC (21 days) = 14 μg/L (<i>Daphnia magna</i>) (By analogy with similar
, and the second s	 EC50 (72 hour) = 2.1 mg/L (<i>Pseudokirchnerella subcapitata</i>) EC0 (3 hour) > 1000 mg/L (Activated sludge) NOEC (21 days) = 14 μg/L (<i>Daphnia magna</i>) (By analogy with similar materials) Readily biodegradable.
Persistence and degradability	EC50 (72 hour) = 2.1 mg/L (<i>Pseudokirchnerella subcapitata</i>) EC0 (3 hour) > 1000 mg/L (Activated sludge) NOEC (21 days) = 14 μ g/L (<i>Daphnia magna</i>) (By analogy with similar materials)
Persistence and degradability Bioaccumulative potential	 EC50 (72 hour) = 2.1 mg/L (<i>Pseudokirchnerella subcapitata</i>) EC0 (3 hour) > 1000 mg/L (Activated sludge) NOEC (21 days) = 14 μg/L (<i>Daphnia magna</i>) (By analogy with similar materials) Readily biodegradable. The product has low potential for bioaccumulation.



SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods	Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.			
Additional Information	None known.			
SECTION 14: TRANSPORT INFORMATION				

Land transport (U.S. DOT) Sea transport (IMDG) Air transport (ICAO/IATA)

UN number Proper Shipping Name Transport hazard class(es) Packing group Hazard label(s) Environmental hazards Special precautions for user

Not classified as dangerous for transport.

Environmental hazards Special precautions for user

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Canada Domestic Substance List (NDSL/DSL)

- Listed NDSL: Alkylated naphthalene sulfonate, sodium salt

- Listed DSL: Proprietary surfactants

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

	Chemical Name		CAS No.	Typical %wt.	RQ (Pounds)		
	None						
SARA 311/312 - Hazard Categories:							
☐ Fire	Sudden Release	Reactivit	ty 🛛 Immed	liate (acute)	Chronic (delayed)		
SARA 313 - Toxic Chemicals (40 CFR 372):							
	Chemical Name		CAS	No.	Typical %wt.		

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

None

Chemical Name	CAS No.	Typical %wt.
None		

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 15

Date of preparation: April 15, 2015

Additional Information:





<5%

HMIS (Hazardous Material Information

NFPA (National Fire Protection



System)

Association)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Nease Co. LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Nease Co. LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.