

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-

hydroxy-, phosphate

Trade name NAXONAC® 965
CAS No. 51811-79-1

Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) Surfactant Uses advised against None

Details of the supplier of the safety data sheet

Company Identification Nease Co. LLC

10740 Paddys Run Road Harrison, OH 45030

 Telephone
 (513) 738-1255

 Telephone (Product Information)
 (888) 762-7373

 Fax
 (513) 587-2828

E-Mail (competent person) techservice@neaseco.com

Emergency telephone number

Emergency Phone No. (513) 738-1255

CHEMTREC 24 hr. (800) 424-9300

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200) Skin Corr. 1C; Eye Dam. 1; Met. Corr. 1

Label elements

Hazard Symbol



Signal Word(s)

Hazard Statement(s)

Causes severe skin burns and eye damage.

May be corrosive to metals.

Precautionary Statement(s)

Do not breathe dust/fume/gas/mist/vapors/spray.

 $We ar protective \ gloves/protective \ clothing/eye \ protection/face \ protection.$

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Seek medical

treatment.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation (redness, rash,

blistering) develops, get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get

immediate medical attention.

Other hazards Not classified as PBT or vPvB.

Revision: 26 December 2014 Page: 1/6



Additional Information None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredient(s)	%W/W	CAS No.	Hazard statement(s)
Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)-	>96%	51811-79-1	Causes serious eye damage.
.omegahydroxy-, phosphate	>90 /6	31011-79-1	Causes skin irritation.
orthophosphoric acid	<3.4%	7664-38-2	May be corrosive to metals.
orthophosphone acid	\3.4 /0	Causes severe skin burns and eye dama	

Additional Information - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.

- Ethylene Oxide (CAS No. 75-21-8) - May accumulate in the head space of drums.

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If breathing is labored, administer oxygen. If symptoms occur

obtain medical attention.

Skin Contact Wash affected skin with plenty of water. Remove contaminated clothing

immediately. If irritation (redness, rash, blistering) develops, get medical

attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get medical

advice/attention.

Ingestion IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Seek medical

treatment.

Most important symptoms and effects, both

acute and delayed

None

Indication of any immediate medical attention

and special treatment needed

None

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

-Suitable Extinguishing Media Extinguish with waterspray, dry chemical, sand or carbon dioxide.Water

spray should be used to cool containers.

-Unsuitable Extinguishing Media None anticipated.

Special hazards arising from the substance or

mixture

None anticipated.

Advice for fire-fighters Fire fighters should wear complete protective clothing including self-

contained breathing apparatus. Avoid inhalation of vapours.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment

and emergency procedures

Put on protective equipment before entering danger area.

Environmental precautionsDo not allow to enter drains, sewers or watercourses.

Revision: 26 December 2014 Page: 2/6



Methods and material for containment and

cleaning up

Contain spillages with sand, earth or any suitable adsorbent material.

Transfer to a container for disposal or recovery. Wash the spillage area with

water. If possible prevent water running into sewers.

Reference to other sections
Additional Information

None None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Keep container closed when not in use. Empty containers may contain residues. Do not use metal containers for storage as the phosphoric acid will react with the metal to liberate flammable hydrogen gas.Do not get in eyes. Do not breathe mist/vapours/spray. This product may contain trace levels of Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047.

Conditions for safe storage, including any incompatibilities

-Storage Temperature Store in a cool/low-temperature, well-ventilated (dry) place.

-Incompatible materials Attacks many materials and clothing. Keep away from oxidising agents. Keep

container tightly closed and dry.

Specific end use(s) Surfactant

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits

		LTEL (8 hr TWA ppm)		STEL (ppm)		
SUBSTANCE.	CAS No.	PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	Note:
Orthophosphoric acid	7664-38-2	1 mg/m³	1 mg/m³	3 mg/m³	3 mg/m³	
Ethylene Oxide*	75-21-8	1 ppm	1 ppm	5 ppm		*

^{*} May accumulate in the headspace of drums. OSHA Action Level = 0.5 ppm as an 8-hour time-weighted average. Refer to OSHA 29 CFR 1910.1047.

Recommended monitoring method

NIOSH 7908 (Non-Volatile Acids); NIOSH 1614 (Ethylene Oxide)

Exposure controls

Appropriate engineering controls

Local exhaust required.

Personal protection equipment

Eye/face protection

The following to be used as necessary: Goggles giving complete protection to eyes. Full face shield.



Skin protection (Hand protection/ Other)



The following to be used as necessary: Gloves (Neoprene or Natural rubber). Chemical protection suit. Wear safety or chemical resistant shoes or boots. Check with protective equipment manufacturer's data.

Respiratory protection

60

No personal respiratory protective equipment normally required.

Revision: 26 December 2014 Page: 3/6



Thermal hazards Use gloves with insulation for thermal protection, when needed.

Environmental Exposure ControlsDo not allow to enter drains, sewers or watercourses.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Viscous liquid Colour Brown.
Odour Mild

Odour Threshold (ppm)

PH

1.7-2.5

Melting Point (°C) / Freezing Point (°C)

Boiling point/boiling range (°C):

Flash Point (°C)

Point (°C)

Point (°C)

Point (°C)

Plash Point (°C)

Point (°C)

Point (°C)

Point (°C)

Point (°C)

Point (°C)

Evaporation rate (butyl acetate=1) < 1

Flammability (solid, gas)

Explosive limit ranges

Vapour Pressure (Pascal)

Vapour Density (Air=1)

Density (g/ml)

Not available

Not available.

1.1-1.13 @ 25°C

Solubility (Water) Soluble Solubility (Other) Not available. Partition Coefficient (n-Octanol/water) Not available. Auto Ignition Temperature (°C) Not available. Decomposition Temperature (°C) Not available. Kinematic Viscosity (cSt) @ 40°C Not available Explosive properties Not explosive. Oxidising properties Not oxidising.

Other information Not available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactions

Conditions to avoid

None anticipated.

Incompatible materials.

Incompatible materials Keep away from oxidizing agents and Acids. Corrosive to

Copper and Copper alloys

Hazardous Decomposition Product(s)

Carbon monoxide, Carbon dioxide

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Substances in preparations / mixtures

Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-, phosphate (CAS No.51811-79-1)

By analogy with similar materials:

Acute toxicity Oral: LD50 > 2500 mg/kg-bw

Irritation/Corrosivity Causes severe damage to eyes and skin irritation.

SensitizationNo information availableRepeated dose toxicityNo information availableCarcinogenicityNo information available

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity No information available

Revision: 26 December 2014 Page: 4/6



Toxicity for reproduction No information available

Orthophosphoric acid (CAS No. 7664-38-2)

Acute toxicity Oral: LD50 = 2600 mg/kg-bw

Inhalation: LC50 (1 hour) = 3846 mg/m³ (rabbit; mice; guinea pigs)

Irritation/Corrosivity Corrosive (Skin and Eyes)

Sensitization Not available.

Repeated dose toxicity NOAEL (42-54 days) <250 mg/kg (rat)

Carcinogenicity No information available

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity There is no evidence of mutagenic potential.

Toxicity for reproduction NOAEL Reproductive and developmental toxicity = 500 mg/kg

(rat)

This product may contain trace levels of Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047. Ethylene oxide is a known human carcinogen by NTP and a suspected human carcinogen by ACGIH®.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Short term No data.

Long Term No data.

Persistence and degradability No data.

Bioaccumulative potential No data.

Mobility in soil No data.

Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal should be in accordance with local, state or national legislation.

Consult an accredited waste disposal contractor or the local authority for

advice.

Additional Information None known.

SECTION 14: TRANSPORT INFORMATION

	Land transport (U.S. DOT)	Sea transport (IMDG)	Air transport (ICAO/IATA)
UN number	1760	1760	1760

Proper Shipping Name Corrosive liquid, n.o.s.

(contains alkylhydroxy-poly(oxy-1,2-ethanediyl) alpha.-(nonylphenyl)-

.omega.-hydroxy-, phosphate)

Transport hazard class(es) 8 8 8 Packing group Ш Ш Ш Hazard label(s) Corrosive Corrosive Corrosive **Environmental hazards** None None None Special precautions for user None known. None known. None known.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not established.

Revision: 26 December 2014 Page: 5/6



SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt. Canada Domestic Substance List (DSL) - Listed

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
Orthophosphoric acid	7664-38-2	<5%	5000

SARA 311/312 - Hazard Categories:

☐ Fire ☐ Sudden Release ☐ Reactivity ☐ Immediate (acute) ☐ Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None		

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.
None		

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Date of preparation: December 26, 2014

Additional Information:



HMIS (Hazardous Material Information System)



NFPA (National Fire Protection Association)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Nease Co. LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Nease Co. LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 26 December 2014 Page: 6/6