

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name	Mixture
Trade name	NAXSOFT® 60T
CAS No.	Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified use(s)	Surfactant
Uses advised against	None

Details of the supplier of the safety data sheet

Company Identification	Nease Co. LLC 10740 Paddys Run Road Harrison, OH 45030
Telephone	(513) 738-1255
Telephone (Product Information)	(888) 762-7373
Fax	(513) 587-2828
E-Mail (competent person)	techservice@neaseco.com

Emergency telephone number

Emergency Phone No.	(513) 738-1255 CHEMTREC 24 hr. (800) 424-9300
---------------------	--

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)	Eye Dam. 1; Skin Irrit. 2
-----------------------------	---------------------------

Label elements

Hazard Symbol



DANGER

Signal word(s)

Hazard statement(s)

Causes serious eye damage.
Causes skin irritation.

Precautionary statement(s)

Wear protective gloves/protective clothing/eye protection/face protection.
Wash hands and exposed skin after use.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation (redness, rash, blistering) develops, get medical attention.

Other hazards

Toxic to aquatic life. Not classified as PBT or vPvB.

Additional Information

None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W	CAS No.	Hazard statement(s)
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	55 - 60%	68584-25-8	Causes serious eye damage. Causes skin irritation. Toxic to aquatic life.
Triethanolamine sulfate	< 5%	7376-31-0	Not classified as dangerous for supply/use.
Water	40 - 45%	7732-18-5	Not applicable

Additional Information – None

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is laboured, administer oxygen. If breathing has stopped, apply artificial respiration.
Skin Contact	Wash affected skin with plenty of water. Continue to wash the affected area for at least 15 minutes. If irritation (redness, rash, blistering) develops, get medical attention.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Drink two glasses of water. Call a physician. If swallowed, and the victim is conscious and alert, induce vomiting immediately, as directed by medical personnel.

Most important symptoms and effects, both acute and delayed None

Indication of any immediate medical attention and special treatment needed None

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

-Suitable Extinguishing Media	Extinguish with waterspray, dry chemical, sand or carbon dioxide or foam.
-Unsuitable Extinguishing Media	None anticipated.

Special hazards arising from the substance or mixture None anticipated.

Advice for fire-fighters Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Put on protective equipment before entering danger area.

Environmental precautions Prevent entry into drains.

Methods and material for containment and cleaning up Cover spills with inert absorbent material. Sweep spilled substances into containers. Transfer to a container for disposal.

Reference to other sections None
Additional Information None

SECTION 7: HANDLING AND STORAGE




Precautions for safe handling	Do not get in eyes. Wash hands and exposed skin after use. Empty containers may contain residues.
Conditions for safe storage, including any incompatibilities	
-Storage Temperature	Keep container tightly closed and dry. This product should be stored at a temperature greater than: 0°C (32°F). Do not allow material to freeze.
-Incompatible materials	Keep away from oxidising agents.
Specific end use(s)	Surfactant

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)		STEL (ppm)		Note:
		PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	
None	-----	-----	-----	-----	-----	-----

Recommended monitoring method	None
Exposure controls	
Appropriate engineering controls	Not normally required.
Personal protection equipment	
Eye/face protection 	Wear protective eyewear (goggles, face shield, or safety glasses).
Skin protection (Hand protection/ Other) 	The following to be used as necessary: Gloves (Neoprene or Natural rubber).
Respiratory protection 	No personal respiratory protective equipment normally required. Avoid generation of mist. An approved dust mask should be worn if dust/mist is generated during handling.
Thermal hazards	Use gloves with insulation for thermal protection, when needed.
Environmental Exposure Controls	None.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear/Yellow.
Odour	Faint.Oily
Odour Threshold (ppm)	Not available.
pH (Value)	5 - 8
Melting Point (°C) / Freezing Point (°C)	Not available.
Boiling point/boiling range (°C):	Not available.

Flash Point (°C)	>121 (250 °F)
Evaporation rate (butyl acetate=1)	<1
Flammability (solid, gas)	Not applicable.
Explosive limit ranges	Not available.
Vapour Pressure (Pascal)	Not available.
Vapour Density (Air=1)	Not available.
Density (g/ml)	1.78 (9.0 lbs/gallon) @ 25 °F
Solubility (Water)	Soluble
Solubility (Other)	Not available.
Partition Coefficient (n-Octanol/water)	Not available.
Auto Ignition Temperature (°C)	Not available.
Decomposition Temperature (°C)	Not available.
Kinematic Viscosity (cSt) @ 40°C	Not available
Explosive properties	Not available
Oxidising properties	Not oxidising.
Other information	Not available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable.
Possibility of hazardous reactions	None anticipated.
Conditions to avoid	Incompatible materials.
Incompatible materials	Reacts with oxidizers.
Hazardous Decomposition Product(s)	Carbon monoxide, Carbon dioxide, Sulphur oxides

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Substances in preparations / mixtures

Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine (CAS No. 68584-25-8) - By analogy with similar materials:

Acute toxicity	Oral: LD50 = 2925 mg/kg(rat) Dermal: LD50 > 2000 mg/kg (rabbit)
Irritation/Corrosivity	Causes serious eye damage. Causes skin irritation.
Sensitization	None.
Repeated dose toxicity	NOAEL = 40 mg/kg bw/day (rat, in the diet daily for 6 months) LOAEL = 115 mg/kg bw/day (rat, in the diet daily for 6 months)
Carcinogenicity	No data.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity	There is no evidence of mutagenic potential.
Toxicity for reproduction	NOAEL for parental and offspring generations = 350 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

Toxicity - Substances in preparations / mixture

Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine (CAS No. 68584-25-8) - By analogy with similar materials:

Short term	LC50 (96 hour) = 5.7 mg/l (<i>Brachydanio rerio</i>) EC50 (96 hour) = 3.5 mg/l (<i>Daphnia magna</i>) ErC50 (72 hour) = 52.8 mg/l (Algae) EC10 (18 hour) = 55 mg/l (<i>Pseudomonas putida</i>)
Long Term	NOEC (196 day) = 0.63 mg/l (<i>Pimephales promelas</i>) LOEC (21 days) = 2.8 mg/l (<i>Daphnia magna</i>)

Persistence and degradability
 Bioaccumulative potential
 Mobility in soil
 Results of PBT and vPvB assessment
 Other adverse effects

Readily biodegradable.
 The substance has a low potential for bioaccumulation.
 The product is predicted to have high mobility in soil.
 Not classified as PBT or vPvB.
 None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

Additional Information

None known.

SECTION 14: TRANSPORT INFORMATION

	Land transport (U.S. DOT)*	Sea transport (IMDG)	Air transport (ICAO/IATA)
UN number			
Proper Shipping Name	Not classified as dangerous for transport.		
Transport hazard class(es)			
Packing group			
Hazard label(s)			
Environmental hazards			
Special precautions for user			

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

*Contains a substance with an Reportable Quantity. Containers over 5,500 pounds (2495 kg) will be regulated for transport as UN3082, Environmentally Hazardous Substance, Class 9, Packing Group III, Marine Pollutant placard.

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Canada Domestic Substance List (NDSL/DSL)- Listed DSL

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
Dodecylbenzenesulfonic acid, triethanolamine salt	27323-41-7	< 18	1000

SARA 311/312 - Hazard Categories:

Fire Sudden Release Reactivity Immediate (acute) Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None	-----	-----

SARA 302 - Extremely Hazardous Substances (40 CFR 355):

Chemical Name	CAS No.	Typical %wt.
None	-----	----

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Date of preparation: December 26, 2014

Additional Information:

HEALTH		2
FLAMMABILITY		0
PHYSICAL HAZARD		0
<small>Personal Protection</small> <div style="display: flex; align-items: center; gap: 5px;"> <div style="background-color: #008000; color: white; padding: 2px 5px; font-weight: bold;">B</div>   </div>		

HMIS (Hazardous Material Information System)



NFPA (National Fire Protection Association)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Nease Co. LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Nease Co. LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.